



ORDER ACKNOWLEDGEMENT

Order Date 10/6/10	Sales Order S70001741	1(4)
Our Reference F00010 Ottawa Truck Manufacturing	Your Reference	10/6/10
Delivery Address WILL ADVISE - KS Ottawa, KS 66067 USA	Postal Address O. B. Leasing Attn: Tony Lestingi 1100 Gest Street CINCINNATI, OH 45203 USA	
Reference A TERRITORY 10		
Reference B 325911-325920	Cust Order	
Terms of Payment NET 10 DAYS	Carrier FEDX Ground	7250
Sold-to BP C24868 O. B. Leasing	Delivery	

Position	Item	Item Description				Eff Unit		
	Alternative Item	Planned Div Date	Planned Receipt	Quantity	Unit	Price	Discount	Amount
	QTY - 10							
	SEND MANUALS TO SHIP TO LOCATION							
	2011 OTTAWA 4 X 2							
	CUMMINS ISB6.7 - 200 HP ELECTRONIC ENGINE (2010)(CLEAN IDLE CERTIFIED)							
	EG-363 CUMMINS HEATED FUEL WATER SEPARATOR							
	ENGINE BLOCK HEATER WITH COVERED PLUG POSITIONED IN WHEEL WELL							
	ENGINE SHUTDOWN							
	IDLE SHUTDOWN - 5 MINUTES							
	MAX ROAD SPEED - 45MPH							
	ENGINE AND TRANSMISSION DIPSTICK EXTENDED TO ALLOW CHECKING OF FLUID FROM GROUND WITHOUT RAISING THE CAB							
	ALLISON MY09 3000RDS TRANSMISSION (1-4)							
	TRANSYND SYNTHETIC TRANSMISSION FLUID							
	PUSH BUTTON SHIFTER							



ORDER ACKNOWLEDGEMENT

Order Date	Sales Order
10/6/10	S70001741 2(4)

Position	Item	Item Description	Eff Unit					
	Alternative Item							
Planned Div	Date	Planned Receipt	Quantity	Unit	Price	Unit	Discount	Amount
		TRANSMISSION MAINTENANCE - OFF						
		MERITOR FF-961 FRONT AXLE WITH 15" x 4" BRAKES AND HUB PILOTED WHEELS						
		FA-332 MERITOR AUTOMATIC SLACK ADJUSTERS, FRONT AXLE						
		FA-60 STEMCO FRONT AXLE OIL SEALS						
		MERITOR RS-23-186, 5.38:1 RATIO REAR AXLE WITH HUB PILOTED WHEELS						
		RA-332 MERITOR AUTOMATIC SLACK ADJUSTERS, REAR AXLE						
		116" WHEELBASE WITH "L" FRAME REINFORCEMENTS						
		PN-167 HIGHWAY LEGAL PACKAGE; INCLUDES 121 BRAKE SYSTEM						
		ANTI-LOCK BRAKES						
		STARTER LOCK-OUT SWITCH						
		RAISED ROOF CAB - INTERMODAL PACKAGE						
		AC-412 THREE POINT ORANGE SEATBELT						
		HEAVY DUTY REAR DOOR STOPS WITH GRAB HANDLE						
		LIMIT THE RECLINE ON THE SEAT						
		ADJUST HEADLAMPS						
		(2) ROOF MOUNTED FLOOD LIGHTS ONE ON EACH FRONT CORNER OF CAB FACING OUTWARD OPERATED BY A DASH MOUNTED SWITCH - NAPA #620 OR EQUAL						
		INSTALL CUSTOMER FURNISHED CB RADIO LEAD WIRE AND ANTENNA. ANTENNA TO BE INSTALLED IN FRONT ROOF FLANGE ON DRIVERS SIDE. LEAD WIRE TO BE INSTALLED AT LEFT FRONT DASH. BOTH ANTENNA AND LEAD WIRE ARE TO FACILITATE THE RADIO INSTALLATION ON TOP OF THE DASH AT DRIVERS SIDE OF STEERING WHEEL. CUSTOMER TO INSTALL RADIO UPON RECEIPT OF TRACTORS.						



ORDER ACKNOWLEDGEMENT

Order Date 10/6/10	Sales Order S70001741	4(4)
-----------------------	--------------------------	------

Position	Item	Item Description				Eff Unit			
	Alternative Item	Planned Div Date	Planned Receipt	Quantity	Unit	Price	Unit	Discount	Amount

REINFORCED BUMPER WITH 3" EXTENSION (6" FROM DECK)

SKID RAMP EXTENSIONS TO LOWER REAR MOST PICK UP POINT, TWO (2) INCHES

OMIT ALL OTTAWA DECALS AND INSTALL CUSTOMER FURNISHED DECALS AND UNIT NUMBERS
 (112026 THROUGH 112035)

INSTALL ALL SAFETY DECALS

PAINT: CAB - STANDARD WHITE

CHASSIS - BLACK

WHEELS - "E" COAT WHITE

BUMPER - BLACK WITH WHITE DIAMOND CUT TAPE - STRIPED DIAGONALLY

YOKOHAMA 11R22.5 TIRES - RY023 FRONT, TY517 REAR

WET SPLINE PTO

NO PRE-DELIVERY; CUSTOMER WILL PLACE UNITS INTO SERVICE AT NO CHARGE

FOR ON HIGHWAY USE